


IN THE CLAIMS

Please amend the claims as follows:

Claims 1 to 4. (Canceled)

Claim 5. (Currently Amended): A liquid curing resin composition, comprising the following components (A) ~~and~~ through (D):

- (A) 30 to 70 wt % of a urethane (meth)acrylate prepared by reacting polypropylene glycol, polyisocyanate and a hydroxyl-containing (meth)acrylate and having a number-average molecular weight of from 10000 to 40000,
- (B) ~~40~~ 30 to 60 wt % of an ethylenically unsaturated monomer having a glass transition point, in the form of a homopolymer, of 60° C or greater, wherein the sum of the amounts of components (A) and (B) is 100 wt %,
- (C) 0.1 to 5 wt % of γ -mercaptopropyltrimethoxysilane, based on 100 wt % of the resin composition, and
- (D) a monofunctional polymerizable monomer with the proviso that a monofunctional monomer of formula (5):





wherein n is an integer ranging from 1 to 5, is excluded from the scope of the claims.

Claim 6 (Previously Presented). The liquid curing resin composition according to Claim 5, wherein said polyisocyanate is a member selected from the group consisting of 2,4-tolylene diisocyanate, 2,6-tolylene diisocyanate, 1,3-xylylene diisocyanate, 1,4-xylylene diisocyanate, 1,5-naphthalene diisocyanate, m-phenylene diisocyanate, p-phenylene


diisocyanate, 3,3'-dimethyl-4,4'-diphenylmethane diisocyanate, 4,4'-diphenylmethane diisocyanate, 3,3'-dimethylphenylene diisocyanate, 4,4'-biphenylene diisocyanate, 1,6-hexane diisocyanate, isophorone diisocyanate, methylenebis(4-cyclohexyl isocyanate), 2,2,4-trimethylhexamethylene diisocyanate, 1,4-hexamethylene diisocyanate, bis(2-isocyanatoethyl)fumarate, 6-isopropyl-1,3-phenyl diisocyanate, 4-diphenylpropane diisocyanate, lysine diisocyanate, hydrogenated diphenylmethane diisocyanate, hydrogenated xylylene diisocyanate, and tetramethylxylylene diisocyanate.

Claim 7 (Previously Presented): The liquid curing resin composition according to Claim 5, wherein said hydroxyl-containing (meth)acrylate is a member selected from the group consisting of 2-hydroxyethyl (meth)acrylate, 2-hydroxypropyl (meth)acrylate, 2-hydroxybutyl (meth)acrylate, 2-hydroxy-3-phenyloxypropyl (meth)acrylate, 1,4-butanediol mono(meth)acrylate, 2-hydroxyalkyl(meth)acryloyl phosphate, 4-hydroxycyclohexyl (meth)acrylate, 1,6-hexanediol mono(meth)acrylate, neopentylglycol mono(meth)acrylate, trimethylolpropane di(meth)acrylate, trimethylolethane di(meth)acrylate, pentaerythritol tri(meth)acrylate, dipentaerythritol penta(meth)acrylate, and (meth)acrylates represented by the following formula (1) or (2),




wherein R¹ in each formula represents a hydrogen atom or a methyl group and m is an integer from 1 to 15.

Claim 8 (Previously Presented): The liquid curing resin composition according to Claim 5, wherein the monofunctional polymerizable monomer is benzyl (meth)acrylate, nonyl (meth)acrylate, dodecyl (meth)acrylate, lauryl (meth)acrylate, isobutyl (meth)acrylate, 2-ethylhexyl (meth)acrylate, 2-ethylhexylcarbitol (meth)acrylate, 2-hydroxyethyl (meth)acrylate, 2-hydroxypropyl (meth)acrylate, 2-hydroxybutyl (meth)acrylate, polyethylene glycol (meth)acrylate, polypropylene glycol (meth)acrylate, methoxypolyethylene glycol (meth)acrylate, methoxypolypropylene glycol (meth)acrylate, tetrahydrofurfuryl (meth)acrylate, 2-acryloyloxyethyl succinic acid, propyl (meth)acrylate, isopropyl (meth)acrylate, butyl (meth)acrylate, amyl (meth)acrylate, t-butyl (meth)acrylate, pentyl (meth)acrylate, isoamyl (meth)acrylate, hexyl (meth)acrylate, heptyl (meth)acrylate, octyl (meth)acrylate, isooctyl (meth)acrylate, isodecyl (meth)acrylate, undecyl (meth)acrylate, octadecyl (meth)acrylate, stearyl (meth)acrylate, butoxyethyl (meth)acrylate, ethoxydiethylene glycol (meth)acrylate, cyclohexyl acrylate, ethoxyethyl (meth)acrylate, methoxypolyethylene glycol (meth)acrylate, methoxypolypropylene glycol (meth)acrylate, bornyl (meth)acrylate, t-octyl (meth)acrylamide, dimethylaminoethyl (meth)acrylate, diethylaminoethyl (meth)acrylate, 7-amino-3,7-dimethyloctyl (meth)acrylate, and (meth)acrylate compounds represented by the following formula (3) or (4):



wherein, R^2 represents a hydrogen atom or a methyl group, R^3 represents an alkylene group having 2 to 6 carbon atoms, R^4 represents an alkyl group having 1 to 12 carbon atoms, and l is 0 to 12,



wherein, R^2 has the same meaning as described above, R^5 represents an alkylene group having 2 to 8 carbon atoms, and p is 1 to 8.

Claim 9 (Previously Presented). The liquid curing resin composition according to Claim 5, wherein component (B) comprises at least one compound selected from the group consisting of acryloylmorpholine, dimethylacrylamide, N-vinylpyrrolidone and N-vinylcaprolactam.

Claim 10. (Previously Presented) A method of adhesively bonding PET films, comprising:

laminating the PET films by applying the liquid curing resin composition according to Claim 5 or 9 therebetween, and

curing the composition by exposure to radiation.

Claim 11. (Previously Presented) The method of Claim 10, wherein said radiation is UV radiation.

Claim 12. (Previously Presented) A method of adhesively bonding a MS plate and a PET film, comprising:

laminating the PET film to the MS plate by applying the liquid curing resin composition according to Claim 5 or 9 therebetween, and

curing the composition by exposure to radiation.

Claim 13. (Previously Presented) The method of Claim 12, wherein said radiation is UV radiation.